				Attorn 527 Rec'duff	AGT/PTO 06 APR 2000
51	*97 - 4	por a			
		RANSMITTAL LETTER TO		051480-5017 U.S. Application No.	
		ESIGNATED/ELECTED OF ONCERNING A FILING UN		Unassigned	09/529010
		tional Application. No.	International Filing Date	Priority Date Claimed	
	PCT/I	DE99/02450	5 August 1999	6 August 1998	
	Title o	f Invention			
	PIEZO	DELECTRIC ACTOR UNIT	Γ		
	Applic	ants For DO/EO/US			
	Andrea	as VOIGT, Claus ZUMSTRU	LL, Guenter LEWENTZ and	Wilhelm FRANK	
	Ap inform		e United States Designated/El	ected Office (DO/EO/US)	the following items and other
1.	[X]	This is a FIRST submission	of items concerning a filing	under 35 U.S.C. 371.	
2.	[]	This is a SECOND or SUB	SEQUENT submission of iter	ns concerning a filing unde	r 35 U.S.C. 371.
3.	[]	This express request to beg	in national examination proce	dures (35 U.S.C. 371(f)) at	any time rather
		than delay examination unti- PCT Articles 22 and 39(1).	il the expiration of the applica	ble time limit set in 35 U.S	3/1(b) and
4.	[] -		national Preliminary Examina	tion was made by the 19th	month from the
	LJ	earliest claimed priority dat			
Share the state of	[X]	A copy of the International	Application as filed (35 U.S.		
			tted herewith (required only i	f not transmitted by the	
* 13			nal Bureau).	al Dymany	
**************************************			transmitted by the Internations uired, as the application was t		
g: top			Office (RO/US).	ned in the Cinted States	
6. 7.	[X]	A translation of the Interna	tional Application into Englis	h (35 U.S.C. 371(c)(2)).	
7	[]		of the International Application	on under PCT Article 19	
i a		(35 U.S.C. 371(c)(3)).	nitted herewith (required only	if not transmitted by the	
5 · 224			miled herewith (required omy nal Bureau).	ii not transmitted by the	
			transmitted by the Internation	nal Bureau.	
		* -	been made; however, the time		
S.			nts has NOT expired.	_	
	r a		been made and will not be ma		1(a)(2))
8. 9.	[]		ments to the claims under PC he inventors (35 U.S.C. 371(c		1(c)(3)).
10.	[]		es to the International Prelimin		
10.	LJ	under PCT Article 36 (35			
Items	11. to 16.	below concern other docum	ent(s) or information includ	ed:	
11.	[]		Statement under 37 CFR 1.9		
12.	[]		or recording. A separate cove	r sheet in compliance with	
12	[V]	37 CFR 3.28 and 3.31 is in A FIRST preliminary amen			
13.	[X] []		to the International Prelimina	ry Examination Report	
14.	[]	A Proposed Substitute spec		1	
15.	[X]	Other items or information	:		
		a. Publication No. WO 00b. PCT/ISA/220	0/08353 (cover page)		

1. 2. 3.

17. [X]	The following fees are submitt	ed:		
	Basic National Fee (37 CFR 1			
	port has been prepared by the l			
	nal preliminary examination fee			
	(37 CFR 1.482)			
	tional preliminary examination			
	(37 CFR 1.482) but internation			
	JSPTO (37 CFR 1.445(a)(2))			
	ternational preliminary examina			
,	1.482) nor international search			
	1.445(a)(2)) paid to USPTO			
	nal preliminary examination fee			
	1.482) and all claims satisfied			
of PCT	Article 33(2)-(4)			
		PROPRIATE BASIC FEE AN	MOUNT =	\$ 840.00
	00 for furnishing the oath or d			
	ths from the earliest claimed pr	ciority date		
(37 CFR 1.492(e))				\$
Claims	Number Filed	Number Extra	Rate	
Total Claims	19- 20 =	0	X \$18.00	\$ \$ 00
Independent Claim		<u> </u>	X \$78.00	\$78.00
kinimbie debenden.	claim(s) (if applicable)	E ADOME CALCIT ATTOMS	+\$260,00	\$
Poduation by 1/2 f	or filing by small entity, if app	F ABOVE CALCULATIONS	<u> </u>	\$0.00
	ent must also be filed. (Note 3			 -\$
Sign Linuty Statem	ent mast also be med. Unble.	5/ CFR 1.9, 1.21, 1.28)	SUBTOTAL =	\$918.00
Processing fee of 9	130.00 for furnishing the Engl	ish translation later	SUBTUTAL -	\$710.00
	0 months from the earliest cla			1+\$
		anea priority date		1
		TOTAL NA	ATIONAL FEE =	\$
Fee for recording t	he enclosed assignment (37 CF			
	e accompanied by an appropriate			
	1). \$40.			\ +
			ES ENCLOSED =	\$918.00
			Amount to be	
The same same same same same same same sam			refunded	\$
			charged	\$
a. []	A check in the amount of \$			
b. [X]		Account No. 50-0310 in the an		
		duplicate copy of this sheet is		
c. [X]	Except for issue fees payal	ole under 37 C.F.R. §1.18, the	Commissioner is hereby a	uthorized by this paper to
	charge any additional fees	during the entire pendency of t	his application including fe	es due under 37 CFR §1.

and §1.17 which may be required, or credit any overpayment to Deposit Account No. 50-0310.

SEND ALL CORRESPONDENCE TO: Morgan, Lewis & Bockius LLP 1800 M Street, N.W. Washington, D.C. 20036 (202) 467-7000

Reg. No. 35,035

Submitted: April 6, 2000

09/529010 527 Rec'd PCT/PTO 06 APR 2000

Attorney Docket No. 051480-5017

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: VOIGT et al.)	
Application No.: not yet assigned)	Group Art Unit: not yet assigned
Filed: herewith)	Examiner: not yet assigned
Title: PIEZOELECTRIC ACTOR UNIT)	

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Prior to the examination of the above-identified application on the merits, please amend the application as follows:

IN THE CLAIMS:

Please amend claims 4-10 as follows:

Claim 4, line 1, change "claim 1 or 2 or hollow body according to claim 3," to --claim 1,--.

Claim 5, line 1, change "claim 1, 2 or 4, or hollow body according to claim 3 or 4," to --claim 1,--.

Claim 6, line 1, change "claim 1, 2, 4 or 5, or hollow body according to any one of claims 3 to 5," to --claim 1,--.

Claim 7, line 1, change "claim 1, 2, 4 to 6 or hollow body according to any one of claims 3 to 6," to --claim 1,--.

Claim 8, line 1, change "claim 1, 2, 4 to 7 or hollow body according to any one of claims 3 to 7," to --claim 1,--.

Claim 9, line 1, change "claim 1, 2, 4 to 8 or hollow body according to any one of claims 3 to 8," to --claim 1,--.

Claim 10, line 1, change "claim 1, 2, 4 to 9 or hollow body according to any one of claims 3 to 9," to --claim 1,--.

Please insert new claims 13-19 as follows:

- --13. Hollow body according to claim 3, characterized in that the holes are arranged in rows one above the other, the holes of the rows being laterally offset from one another.
- 14. Hollow body according to claim 3, characterized in that the minimum distance between adjacent holes (41) of two rows is one or three times the wall thickness of the hollow body (4).
- 15. Hollow body according to claim 3, characterized in that the holes (41) are distributed uniformly over the circumference of the hollow body (4).
- 16. Hollow body according to claim 3, wherein the hollow body (4) is made of spring steel and the holes (41) are punched.
- 17. Hollow body according to claim 3, characterized in that the hollow body (4) has at least one weld seam which joins together two abutting edges of the hollow body.
- 18. Hollow body according to claim 3, characterized in that the hollow body (4) has two abutment edges which are associated with one another and extend over the entire length of the hollow body.
- 19. Hollow body according to claim 3, characterized in that the marginal areas of the holes (41) are at least partially compressed.--.

REMARKS

This Preliminary Amendment is being filed in order to eliminate the surcharge for multiple dependent claims. Claims 4-10 have been amended and new claims 13-19 have been added. Claims 1-19 are submitted for examination.

Applicant respectfully submits that no new matter has been added by this Preliminary Amendment. Entry of the above amendment is respectfully requested.

If there is any fee due in connection with the filing of this Preliminary Amendment, please charge the fees to our Deposit Account No. 50-0310.

Respectfully submitted,
MORGAN, LEWIS & BOCKIUS LLP

Dated: 6 April 2000

Scott J. Anchell Reg. No. 35,035

Customer No. 009629 MORGAN, LEWIS & BOCKIUS LLP 1800 M Street, N.W. Washington, D.C. 20036 (202) 467-7000 4/PRTS

09/529010 527 Rec'd PCT/PTO 06 APR 2000

Attorney Docket No. 051480-5017

Piezoelectric Actor Unit

The invention relates to an actor unit with a piezoelectric actor disposed in a hollow body, according to the preamble of claim 1, and a hollow body for biasing a piezoelectric actor according to the preamble of claim 3.

Actor units with a piezoelectric actor which is biased by a resilient hollow body are used, for example, in automotive technology to control injection valves in an internal combustion engine. DE 38 44 134 C2 discloses an injection valve which is operated by a piezoelectric actor which is arranged in a cylindrical tubular spring and is biased by the latter against the casing of the injection valve. This design of the actor unit has, however, the disadvantage that the biasing of the piezoelectric actor depends greatly on the manufacturing tolerances of the casing of the injection valve. Furthermore, the installation of the actor unit is complicated and requires a great amount of maintenance, since upon each installation and removal the bias applied to the piezoelectric actor by the tubular spring has to be reset. Furthermore, in the case of the tubular springs used the problem also is that, in order to achieve sufficient elasticity for the longitudinal movement of the piezoelectric actor, the tubular springs must be made with an extremely thin wall, which impairs their strength and with it the useful life of the actor unit.

The present invention is addressed to the problem of creating an actor unit with a piezoelectric actor which is suitable especially for the control of fuel injection valves and is characterized by simple manufacture, ease of installation, great ease of maintenance and long useful life, as well as by a hollow body for biasing the piezoelectric actor in such an actor unit.

This problem is solved in an actor unit by the features of claim 1 and in a hollow body for biasing a piezoelectric actor, by the features of claim 3.

In the actor unit according to the invention a piezoelectric actor is strongly biased, so that the entire component can be pre-manufactured and is furthermore easy to install, for example, in an internal combustion engine, and no retightening of the piezoelectric actor will be necessary. The design of the hollow body biasing the piezoelectric actor according to the invention with holes that are dumb-bell shaped also assures that the hollow body will have sufficient strength also at the biases usually applied to the piezoelectric actor of 800 N to 1000 N, and at the same time will be sufficiently elastic to perform the longitudinal movement produced by the piezoelectric actor.

It is advantageous especially to design the holes on the hollow body so that the minimum distance between adjacent holes will be one to three times the wall thickness of the hollow body, which especially offers the possibility for a simple and hence inexpensive punching of the holes. Additional advantageous embodiments of the actor unit and of the hollow body are disclosed in the dependent claims.

The invention is further explained with the aid of the drawing, wherein:

- Fig. 1 is a side view of an actor unit according to the invention,
- Fig. 2A an embodiment of a hollow body according to the invention for biasing a piezoelectric actor as a tubular spring,
- Fig. 2B a sectional view along line A-A in the tubular spring of Fig. 2A,
- Fig. 2C the tubular spring of Fig. 2A represented in the unrolled state,
- Fig. 2D a represented of the detail X of Fig. 2C, and
- Fig. 3 a punching arrangement.

Fig. 1 shows in cross section an actor unit consisting of a piezoelectric actor 1 which can be composed of a plurality of stacked piezoelectric single elements. The piezoelectric actor 1 is operated through contact pins 2 which are arranged along the actor and are in conductive connection with the actor. By applying a voltage between the contact pins 2 a lengthwise expansion of the piezoelectric actor 1 is produced, which can be utilized for operating an injection valve in an internal combustion engine. The piezoelectric actor 1 with the contact pins 2 is disposed in a hollow body 4 configured as a tubular spring. The hollow body 4, however, can have, instead of the circular cross section represented, a rectangular profile, the shape of the hollow body being adapted to the component consisting of piezoelectric actor and contact pins.

The piezoelectric actor 1 is in contact at its end faces with cover plates 5 and 6, the upper cover plate 6 having bores 61 through which the contact pins 2 extend. The top and bottom cover plates 5 and 6 are tensionally or positively joined to the hollow body 4, preferably by welding. Alternatively, the joining between the hollow body 4 and the two cover plates 5 and 6 can be accomplished by beading, with the beaded upper and lower margins of the hollow body embedded into the cover plates. The piezoelectric actor 1 is biased with a defined force of preferably 800 N to 1000 N by the two cover plates 5 and 6, which are held in position by the hollow body 4. To be able to sustain this bias, the hollow body receiving the piezoelectric actor is made preferably from spring steel which is distinguished by a high strength characteristic. Alternatively, however, other materials can be used, e.g., materials with a low elasticity modulus, such as copper-beryllium alloys, for example.

Figs. 2A to 2D show more precisely the construction of the hollow body 4 in the form of a tubular spring. The tubular spring has holes 41 uniformly distributed over its entire surface except for the marginal areas to which the cover plates are welded, and they are of a "dumbbell" shape and run through the tubular spring at right angles to the axis. The holes 41 assure the sufficient elasticity of the tubular spring receiving a biased piezoelectric actor, so that the tubular spring interferes but negligibly with the elongation caused by the piezoelectric actor. The elasticity of the tubular spring can be adapted by the number and length of the holes 41 to the desired elongation of the biased piezoelectric actor.

Also advantageous is the arrangement in rows of the holes 41 one over the other, shown in Figs. 2A, 2C and 2D, wherein the individual rows are staggered in the manner of a slide fastener. In this case the holes 41 of adjacent rows are offset from one another, so that the circular end areas are all on one line and slots of the holes are opposite one another only in every other row. This arrangement assures sufficient elasticity to apply the bias to the piezoelectric actor. The elasticity is supported especially also by the "dumb-bell"-like shape of the holes 41, in which two circular holes are connected together by a slot. Preferred size ranges are from 0.8 to 1.6 mm in diameter in the case of the circular holes, and the intervals between the centers of the holes are in the range of 1.5 to 3.5 mm. This form can furthermore be achieved very simply and precisely by punching them, for example, in a sheet of spring steel. For production reasons it is furthermore advantageous if the minimum distance between adjacent holes 41 is one to three times the wall thickness of the tubular spring.

The tubular spring is preferably made from a spring steel strip with a thickness of 0.5 mm. In a first step the holes are punched into the spring steel strip. Alternatively, it is also possible to form the holes by wire erosion, milling, drilling, or by electrochemical methods. Preferably too the marginal area around the holes is slightly bent plastically so that a strengthening of the spring steel strip is accomplished by the inherent tension thus created. This can be achieved, for example, if the punch with which the holes are made is expanded to a larger cross section after performing the punching action, so that a thickening of the marginal areas of the holes is created. In this case, furthermore, a slight bending of the burr around the holes out of the plane of the strip can occur. The marginal areas of the holes can also be strengthened by air-blasting the strip with beads.

After the holes 41 are made the spring steel strip is cut to the measure desired for the tubular spring, the holes being preferably designed, as shown in Fig. 2D, so that the cut passes through their center at the abutment edges. Then the cut piece is rolled, with the cut or punched edges on the outer side. Then the edges are deburred and the tubular form is completed by longitudinal welding with a laser. To further improve the strength of the tubular spring a heat treatment can then also be performed. As an alternative to the rectilinear abutment edges of the tubular spring, however, the abutting cut edges can be of any desired shape, e.g., the shape of a sine wave or a sawtooth shape, a correspondingly shaped weld seam being created to complete the tubular spring.

Instead of completing the tubular form by welding, the cut edges can be held together by the top and bottom cover plates 5 and 6, so that the cut edges just touch one another. This results in an advantageous distribution of the pressures and spring forces in the hollow body. The formation of the actor unit with an external hollow body, which is preferably in the form of a tubular spring, and in which the piezoelectric actor is fixed tensionally and/or positively to the hollow body, makes it easy to package owing to its compact design and easy to install and remove in an internal combustion engine, for example, for the control of injection valves. The formation of "dumb-bell" shaped holes running transversely of the axis of the hollow body permits an optimum adjustment of the elasticity of the hollow body to the desired longitudinal movement of the piezoelectric actor and simultaneously a simplified production

of the hollow body.

Figure 3 shows schematically an arrangement for creating an hole 73 in a spring steel strip 71 by punching. A punch 70 is provided, which punches a hole 73 into the spring steel strip 71 lying on a die 72. Thus a piece of the spring steel strip is forced through an hole 74 in the die 72.

Due to the punching, the hole 73 has on its bottom U facing the die 72 a greater surface area D1 than on the upper side O into which the punch 70 first penetrates. In addition, the punch produces a burr 74 on the bottom U surrounding the hole 73.

The different sizes of the areas D1 and D2 of the hole 73 on the upper side O and bottom side U and/or the burr 74 result in a difference in the stiffness, hardness and spring property on the upper side O in comparison to the bottom side U of the spring steel strip 71. This is disadvantageous to uniform pressure distribution and impairs the long-term stability of the tubular spring.

To reduce these inhomgeneities it is advantageous when making a tubular spring as in Figures 2a and 2b to close the spring steel strip such that the upper side O is on the outer side of the tubular spring and the bottom side U on the inner side of the tubular spring.

With the described manner of manufacture, the surfaces D1 and D2 of the hole 73, which are different after punching, are matched to one another since the smaller area D2 is expanded on the outside by the bending and is thus enlarged, and the larger area D1 is upset and thus reduced. Thus the inhomogeneities created in the spring steel strip by the punching process are reduced.

Claims

- 1. Actor unit with a piezoelectric actor (1) disposed in a hollow body (4), the hollow body being elastic and biasing the actor, characterized in that the hollow body (4) is joined tensionally and/or positively to the upper and lower end of the actor, the hollow body being provided with holes (41) which are of a dumb-bell shape and run transversely of the hollow body's axis.
- 2. Actor unit according to claim 1, characterized in that the piezoelectric actor (1) is gripped in its direction of expansion between an upper and a lower cover plate (5, 6) which are tensionally and/or positively joined to the hollow body.
- 3. Hollow body for biasing a piezoelectric actor, the hollow body being made elastic, characterized in that the hollow body is provided with holes (41) which are of a dumb-bell shape and run transversely of the hollow body's axis.
- 4. Actor unit according to claim 1 or 2 or hollow body according to claim 3, characterized in that the holes are arranged in rows one above the other, the holes of the rows being laterally offset from one another.
- 5. Actor unit according to any one of claims 1, 2 or 4, or hollow body according to claim 3 or 4, characterized in that the minimum distance between adjacent holes (41) of two rows is one or three times the wall thickness of the hollow body (4).
- 6. Actor unit according to any one of claims 1, 2, 4 or 5, or hollow body according to any one of claims 3 to 5, characterized in that the holes (41) are distributed uniformly over the circumference of the hollow body (4).
- 7. Actor unit according to any one of claims 1, 2, 4 to 6 or hollow body according to any one of claims 3 to 6, wherein the hollow body (4) is made of spring steel and the holes (41) are punched.
- 8. Actor unit according to any one of claims 1, 2, 4 to 7 or hollow body according to any one of claims 3 to 7, characterized in that the hollow body (4) has at least one weld seam which joins together two abutting edges of the hollow body.
- 9. Actor unit according to any one of claims 1, 2, 4 to 8 or hollow body according to any one of claims 3 to 8, characterized in that the hollow body (4) has two abutment edges which are associated with one another and extend over the entire length of the hollow body.
- 10. Actor unit according to any one of claims 1, 2, 4 to 9 or hollow body according to any one of claims 3 to 9, characterized in that the marginal areas of the holes (41) are at least partially compressed.


- 11. Elastic hollow body for biasing an actor (1), the hollow body being made from a flat (71) into which holes (73) are made by punching, characterized in that the side (A) of the flat into which a punch (70) has penetrated in the stamping operation is disposed on the outer side of the hollow body.
- 12. Method for the production of an elastic hollow body for biasing an actor (1), by the following process steps:
 - a hole (73) is made in a flat (71) with a punch (70),
 - the punch (70) penetrates into the flat (71) on the upper side (A) of the flat and punches out a portion of the flat on the underside (B),
 - the flat (71) lying on a die (72),
 - then the flat (71) is formed into a sleeve and edges in contact with one another are joined,
 - characterized in that,
 - upon the forming of the sleeve the upper side (A) is disposed on the outer side and the bottom (B) of the flat (71) is disposed on the inner side of the sleeve.

Abstract

An actor unit has an elastically configured hollow body in which a piezoelectric actor is biased, the hollow body being provided with holes which are of a dumb-bell shape and run transversely of the hollow body's axis.

1/4

FIG 1



The first control of the first

1,3

#

2/4

FIG 2A





FIG 2B



Section A-A

3/4

FIG 2C






FIG 2D



Detail X

The first term was man when all the first and the first term that the first term that

FIG 3



Attorney Docket No 051480-5017

Declaration and Power of Attorney for Patent Application Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstenhend benannter Erfinder erkläre ich biermit an Eides Statt:

As a below named inventor, I hereby declare that.

daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprüglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent für die Erfindung mit tolgendem Titel beantragt wird:

My residence, post office address and citizenship are as stated below next to my name

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

PIFTOFI	ECKTDISCHE	AKTOREINHEIT
TICZULI	EUNINGER	ANIUKEINHEIL

PIEZOELECTRIC ACTOR UNIT

deren Beschreibung hier beigefügt ist, es sei denn (in diesem Falle Zutreffendes bitte ankreuzen), diese Erfindung

the specification of which is attached hereto unless the following box is checked:

was filed on

wurde angemeldet

6 April 2000

States Application Number or PCT International Application Number 09/529,010 and was amended on (1f Applicable).

as United

unter der US-Anmeldenummer oder unter der Internationalen Anmeldenummer im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT)

09/529,010 und am
abgeändert (falls zutreffend).

Ich bestatige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

Ich erkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office information which is material to the patentability of claims presented in this application in accordance with Title 37, Code of Federal Regulations, §1.56.

Attorney Docket No 051480-5017

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderwurkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstenhend durch ankreuzen sämtliche Auslands- anmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate or §365(a) of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

Prior Foreign Applications (Frühere ausländische Anmeldungen)

19835628.5	Germany	6 August 1998		Priority Not Claimed
(Number) (Nummer)	(Country) (Land)	(Day/Month/Year Filed) (Tag/Monat/Jahr der Anmeldung)		Priorität nicht beanspri
(Number)				Priority Not Claimed Priorität nicht beanspri
(Nummer)	(Country) (Land)	(Day/Month/Year Filed) (Tag/Monav lahr der Anmeldung)		
(Number)				Priority Not Claimed Priorital nicht beanspri
(Nummer)	(Country)	(Day/Month/Year Filed)		
canspruche hiermit Pr 35. US-Code, § 119(e unmeldungen wie unt	e) aller US-	(Tug/Monal/Jahr der Anmeldung) I hereby claim the benefits States Code § 119(e) of an provisional application(s)!	y Uni	ted States
eanspruche hiermit Pr 35, US-Code, § 119(e	rioritätsvorteile unter e) aller US- en aufgezahlt. Provision	I hereby claim the benefits States Code § 119(e) of an	y Uni	ted States
eanspruche hiermit Pr 35, US-Code, § 119(e	rioritätsvorteile unter e) aller US- en aufgezahlt. Provision (Hilfsa	I hereby claim the benefits States Code § 119(e) of an provisional application(s) ! al Applications nmeldungen)	y Uni isted	ted States
ranspruche hiermit Pr 35. US-Code, § 119(e unmeldungen wie unt	rioritätsvorteile unter e) aller US- en aufgezahlt. Provision (Hilfsa	I hereby claim the benefits States Code § 119(e) of an provisional application(s) !	y Uni isted	ted States
ranspruche hiermit Pr 35, US-Code, § 119(e unmeldungen wie unti	rioritätsvorteile unter e) aller US- en aufgezahlt. Provision (Hilfsa on No.)	I hereby claim the benefits States Code § 119(e) of an provisional application(s) ! al Applications numeldungen)	y Uni isted Date) detag)	ted States

Code. § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT international application(s) designating the United States of America that is/are listed below and, insofar as the

Attorney Docket No. 051480-5017

früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesen (PCT) gültigen internationalen Anmeldetags bekannt geworden sind.

application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35. United States Code. § 112. I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to the patentability of claims presented in this application in accordance with Title 37. Code of Federal Regulations. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application.

Prior U.S. Applications and PCT International Applications Designating the U.S. (US-Patentanmeldungen und PCT internationalen Anmeldungen, welche die US benennen)

PCT/DE99/02450	5 August 1999	Pending
(Application No.) (Aktenzeichen)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, ahandoned) (Status) (patentiert, schwebend, aufgegehen)
(Application No.) (Aktenzeichen)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, abandoned) (Status) (patentiert, schwebend, aufgegeben)
(Application No.) (Aktenzeichen)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, abandoned) (Status) (patentiert, schwebend, autgegeben)

VERTRETUNGSVOLMACHT: Als benannter Erfinder beauftrage ich hiermit eingeschrieben Praktiker Morgan, Lewis & Bockius LLP eingeschlossen ein Kunde Nummer beliefert unten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem US-Patent und Markenamt. Gesamt korrespondenz sollte sein adressiert zur das Kunde Nummer.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the registered practitioners of Morgan, Lewis & Bockius LLP included in the Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. All correspondence should be addressed to that Customer Number.

Customer Number (Kunde Nummer) 009629
Postanschrift:	Send Correspondence to:
	David W. Laub
Telefonische Auskünste: (Name und Telefonnummer)	Direct Telephone Calls to: (name and selephone number)
	David W. Laub (215-963-5355)

THE THE WIND THE BUT

į. **L**

1

îIJ

Attorney Docket No. 051480-5017

Declaration and Power of Attorney for Patent Application Erklärung für Patentanmeldungen mit Vollmacht

German Language Declaration

Als nachstenhend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

daß mein Wohnsitz, meine Postanschrift und meine Staatsangehörigkeit den im nachstehenden nach meinem Namen aufgeführten Angaben entsprechen, daß ich nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprüglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent für die Erfindung mit folgendem Titel beantragt wird:

PIEZOELECKTRISCHE AKTOREINHEIT

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

	n Beschreibung hier bei			
•	liesem Falle Zutreffende e Frlindung	s ome ankreuzen),		
区 am	wurde angemeldet	6 April 2000		
	unter der US-Anmelde			
	Internationalen Anmeldenummer im Rahmen			
	des Vertrags über die Zusammenarbeit auf			
	dem Gebiet des Patent	wesens (PCT)		
	09/529,010 und	am		
	abgeändert (falls zutre	ffend).		

the specification of which is attached hereto unless the following box is checked:

PIEZOELECTRIC ACTOR UNIT

⊠ was filed on 6 April 2000 as United

Applicable).

Ich bestätige hiermit, daß ich den Inhalt der oben angegebenen Patentanmeldung, einschließlich der Ansprüche, die eventuell durch einen oben erwähnten Zusatzantrag abgeändert wurde, durchgesehen und verstanden habe.

States Application Number or PCT International Application Number 09/529,010 and was amended on (if

Ich crkenne meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Titel 37, Code of Federal Regulations, § 1.56 von Belang sind. I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office information which is material to the patentability of claims presented in this application in accordance with Title 37, Code of Federal Regulations, §1.56.

Page 1 of 5

Attorney Docket No. 051480-5017

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code. § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erlinderwurkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstenhend durch ankreuzen sämtliche Auslands- anmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

l hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate or §365(a) of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

Prior Foreign Applications (Frühere ausländische Anmeldungen)

Title 35, US-Code, § 119(e) aller US- Hilfsanmeldungen wie unten aufgezählt. Provisional Applications (Hilfsanmeldungen) (Application No.) (Aktenzeichen)		
(Number) (Nu		Priority Not Claimed Priorität nicht beansprucht
(Nummer) (Nummer) (Nummer) (Country) (Country) (Nummer) (Country) (Country) (Country) (Tag/Monat/Jahr der Anmeldu (Tag/Monat/Jahr der Anme		
(Nummer) (Nummer) (Nummer) (Country) (Country) (Nummer) (Country) (Country) (Country) (Tag/Monat/Jahr der Anmeldu (Tag/Monat/Jahr der Anme		Priority Not Claimed Priorität nicht beansprucht
(Nummer) (Land) (Tag/Monaz/Jahr der Anmeldu (I hereby claim the bene (States Code § 119(e) or (States Code § 119(e) or (Provisional Applications (Hilfsanmeidungen) (Application No.) (Aktenzeichen) (Application No.) (Aktenzeichen) (Application No.) (Application No.) (Aktenzeichen) (Application No.) (Aktenzeichen)	ł	
(Nummer) (Land) (Tag/Monaz/Jahr der Anmeldu (I hereby claim the bene (States Code § 119(e) or (States Code § 119(e) or (Provisional Applications (Hilfsanmeidungen) (Application No.) (Aktenzeichen) (Application No.) (Aktenzeichen) (Application No.) (Application No.) (Aktenzeichen) (Application No.) (Aktenzeichen)		Priority Not Claimed Prioritat night beansprucht
Title 35, US-Code, § 119(e) aller US- Hilfsanmeldungen wie unten aufgezählt. Provisional Applications (Hilfsanmeldungen) (Application No.) (Aktenzeichen)	}	
(Application No.) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen)	ny Ur	nited States
(Application No.) (Application No.) (Application No.) (Application No.) (Application No.) (Aktenzeichen)		
(Aktenzeighen) (Application No.) (Aktenzeighen)	ng Date relderng	
(Aktenzeichen) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen) (Aktenzeichen)	ng Date reiderag	
	ng Date	
aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkenne, insofern der Gegenstand eines jeden application(s) designation(s) designation(ed States y PCT international United States of w and, insofar as the
Page 2 of 5	United of an the United	

Page 3 of 5

Attorney Docket No 051480-5017

Ich erkläre hiermit, daß alle in der vorliegenden Erklarung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001. Title 18 des US-Code stratbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Ver- und Zuname des einzigen oder ersten Erfinders:	Full name of sole or first inventor,
Andreas VOIGT	Andreas VOIGT
Unterschrift des Erfinders Datum	Inventor's signature. Date
Wuhnsil	Residence.
Regensburg, Bundesrepublik Deutschland	Regensburg, Federal Republic of Germany
Staatsangehorigkeit	Citizenship
Deutsche	German
Postanschrift	Post Office Address.
Liebigstrasse 27	Liebigstrasse 27
D-93055 Regensburg. Bundesrepublik Deutschland	D-93055 Regensburg. Federal Republic of Germany
Vor- find Kunain: dos Zweiten Miertinders (falls zutretfend):	Full name of second inventor, if any
Wilhelm FRANK	Wilhelm FRANK
Unterschrift des Awester Erlinders. Datum.	Second inventor's signature: Date
X Wilhelm Found > 11.11.00	
Wohnsitz	Residence:
Bamberg, Bundesrepublik Deutschland	Bamberg, Federal Republic of Germany
Staatsangehorigken 6 35 X	Citizenship.
Deutsche UC/	German
Postanschrift [*]	Post Office Address
Meinhardtstrasse 44	Meinhardtstrasse 44
D-96049 Bamberg, Bundesrepublik Deutschland	D-96049 Bamberg, Federal Republic of Germany
Vor- und Zuname des dritter Mierfinders (falls zutreffend):	Full name of third inventor, if any
Günter LEWENTZ	Günter LEWENTZ
Unterschrift des zweiten Erfinders Dutum:	Third inventor's signature. Date
Wohnsitz.	
	Residence.
Regensburg, Bundesrepublik Deutschland	Regensburg, Federal Republic of Germany
	Citizenship.
Deutsche	German
Postanschrift.	Post Office Address.
Lärchenweg 5	Lärchenweg 5
D-93055 Regensburg, Bundesrepublik Deutschland	D-93055 Regensburg, Federal Republic of Germany

Hart with the

!: **!**!

13

Attorney Docket No. 051480-5017

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gelängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes pefährden können

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

enemen Patentes gerantden konnen.	
Vur- und Zunume des einzigen oder ersten ErtInders:	Full name of sole or first inventor:
Andreas VOIGT	Andreas VOIGT
Unterschrift des Erfinders: Datum:	Inventor's signature: Date:
\$ 65 13. Nov. 2000	
Wohnsitz:	Residence:
Regensburg, Bundesrepublik Deutschland	Regensburg, Federal Republic of Germany
Staatsangchorigkeit:	Citizenship:
Doutsche DEX	German
Postanschrift	Post Office Address:
Liebigstrasse 27	Liebigstrasse 27
D-93055 Regensburg, Bundesrepublik Deutschland	D-93055 Regensburg, Federal Republic of Germany
Vor- und Zuname des zweiten Mierfinders (falls zutreffend):	Full name of second inventor, if any;
Wilhelm FRANK	Wilhelm FRANK
Unterschrift des zweiten Frfinders: Datum.	Second inventor's signature: Date:
Wohasitz:	
	Residence:
Bamberg, Bundesrepublik Deutschland	Bamberg, Federal Republic of Germany
Suntangehärigkeit:	Citizenship:
Deutscho	German
Postanschrift:	Post Office Address:
Meinhardtstrasse 44	Meinhardtstrasse 44
D-96049 Bamberg, Bundesrepublik Deutschland	D-96049 Bamberg, Federal Republic of Germany
Vor- und Juname des dritter Mierfinders (falls zutreffend):	Full name of third inventor, if any:
Günter LEWENTZ	Günter LEWENTZ
interschrift des zweiten Erfinders: Datum:	Third inventor's signature: Date:
Lunter Secret 15.11.00	
Wohperfol:	Residence:
Regensburg, Bundesrepublik Deutschland	Regensburg, Federal Republic of Germany
Subusangehörigkeit:	Citizenship:
Deutsche DEA	German
Postanschrift:	Post Office Address:
Lärchenweg 5	Lärchenweg S
D-93055 Regensburg, Bundesrepublik Deutschland	D-93055 Regensburg, Federal Republic of Germany
(Im Fulle vierter und weiterer Miterfinder sind die entsprechenden Informationen und Unterschriften hinzuzufügen.)	(Supply similar information and signature for fourth and subsequent joint inventors.)
Dog	e 4 of 5

Page 4 of 5

20-NOU 15:18 MO UON:SIEMENS AG/ZT GG UM +449 89 636 83723 20-NOU 13:42 MO 'YON:SIE AT PT DS EIN +49 941 7985422

636 83723 AN:00012159635299

SEITE:06 SEITE:01

28-NO: 14:42 NO - UTN:9TEMENS AGYZT GG UM -449 87 636 83723

AN:+49 89 636 83723

AN: +49 941 7905422 SEITE: 01 A998 PUZ 266 Wa

40	Attorney Docker No. 051480-5017
in and Junisme der vierter Atterlinders glidte netrettend.	Full name of fourth inventor, if any.
Claus ZI MSTRIII	Claus ZI,IMSTRULL
Daton'	
11. Dun 11 726 20	o
interior	Residence:
Repensburg, Bundestenublik Deutschland	Regensburg, Federal Republic of Germany
Controllend aken	(inzenship:
Deutsche DE	Oerman
for You had 3 93112 Royersham	Past Office Address:
	Sutt to all the suit and a suit and a suit a
D.11304 Telegonshurp, Bundesrepublik Dentschla	D-93057 Regensburg, Federal Republic of Germany
is a se Language des timble Moerlinders (falls articitent)	Full name of fith inventor, It say
;	
"de a hott de limiter blindred. Den en	
Q:111	L'anterschreiber L'aurich per Tax
A monetal state of the state of	le los morlies
	Law Ed and
he and incoming to the	current per tax
UMD	(Post an:
Power set trish	
2T G	CE VM
* /	(P / 2 /
Programs high 2.7 G Virtual Filmonia ster artistice programmere (Paris F1 / G) F1 / G	1 / 6/
TV	lieseuserg
flographeterica, eccharge brimbers	.083-636-83723 Date:
Tax	-083-636-831-23
Wobustra	
W DBD 2125	
	Citizenship
Stantonpelinigked	and annual to
	Past Office Address:
5, speciatell	1031 Office Addition
Victorial Vinna me or a slepte Marrinders (in la 20steffend)	Full name of seventh inventor, if may.
	ne Seventh inventor's signature. Date:
responsibilities supple between Day	air Seventh inventor's signature. Date
	Residence.
Williams (2	Newcence.
rasisan, eta ir kelt	Citizenship.
Programs held	Post (Mine Address:
1	

1998 POZZ69LDU

ATTORNEY DOCKET NO - 051480-5017

fruheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an. die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations. § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesen (PCT) gültigen internationalen Anmeldetags bekannt geworden eind

application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to the patentability of claims presented in this application in accordance with Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application.

Prior U.S. Applications and PCT International Applications Designating the U.S. (US-Patentanmeldungen und PCT internationalen Anmeldungen, welche die US henennen)

PCT/DE99/02450	5 August 1999	Pending (Status) (patented, pending, abandoned) (Status) (patentiert, schwebend, aufgegeben)	
(Application No.) (Aktonzeichen)	(Filing Date) (Anmeldetag)		
(Application No.)	(Filing Date) (Anmeldetag)	(Status) (patented, pending, abandoned) (Status) (patentiert, schwebend, aufgegeben)	
(Application No.) (Aktenzeichen)	(Filing Date) (Annel Jetag)	(Status) (patented, pending, shandoned) (Status) (patentiers, schwebend, aufgegehen)	

VhR FRETUNGSVOLMACHT: Als benannter Erfinder beauftrage ich hiermit eingeschrieben Praktiker Morgan, Lewis & Bockius LLP cingeschlossen ein Kunde Nummer beliefert unten mit der Verfolgung der vorliegenden Patentanmeldung sowic mit der Abwicklung aller damit verbundenen Angelegenheiten vor dem USPutent und Markenamt. Gesamt korrespondenz sollte sein adressiert zur das Kunde Nummer.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the registered practitioners of Morgan, Lewis & Bockius LLP included in the Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. All correspondence should be addressed to that Customer Number.

Customer Number (Kunde Nummer): 009629

Postanschrift:	Send Correspondence to:	
	David W Laub	
Telefonische Auskünfte; (Nume und Telefonnummer)	Direct Felephone Calls to (name and sclephone number)	
	David W Laub (215-963-5355)	

Page 3 of 5

Voi- und Zuname des vierter Miertinders (falls zutreffend)		Full name of thurth inventor, if any		
Claus ZUMSTRULL		Claus ZUMSTRULL		
nterschrift des vierter Erfinders	Darum.	Fourth inventor's signature	Date	
ohnstiz		Residence:		
Regenshurg. Bundesrepublik Deutschland		Regensburg, Federal Republic of Germany		
taatsangehorigkeit		Citizenship:		
Deutsche		German		
osianschrift		Post Office Address		
Sattelbogener Strasse 20 D-93057 Regensburg, Bundesrepublik Deutschland		Sattelbogener Strass 20 D-93057 Regensburg, Federal Republic of Germany		
Vor- und Zuname des füniter Miertinders (falls 2	utreffend)	Full name of fifth inventor, if any		
Interschrift des fünfter Erfinders	Datum:	Fifth inventor's signature:	Date	
W ohnsuz		Residence:		
Staatsangchorigkeit		Citizenship.		
Posianschrift		Post Office Address		
Vor- und Zuname des sechster Mierfinders (falls zuureffend)		Full name of sixth inventor, if any		
Underschrift des sechster Erlinders	Dølum:	Sixth inventor's signature:	Date	
Wohnsitz.		Residence:		
Staatsangehörigkeit:		Citizenship		
Postansenrift		Post Office Address.		
Vor- and Zuname des siebte Mierfinders (fails a	suirellend).	Full name of seventh inventor, it any		
Unterschrift des siehte Erfinders	Datum	Seventh inventor 9 signature	Date	
Wohnsitz		Kesidence.		
Staatsangehötigkeit		Citizenship:		